

# Spridarhuvud MP



**MP1000**






Radie 2.5-4.5 m

**MP2000**

Radie 4-6.4 m

**MP3000**

Radie 6.7-9.1 m

	Tryck kg	Radie m	Flöde l/min	Nederbörd mm/tim ca.	Radie m	Flöde l/min	Nederbörd mm/tim ca.	Radie m	Flöde l/min	Nederbörd mm/tim ca.
90° 	1.7	-	-	-	5.2	1.29	12	7.6	2.69	11
	2.0	3.7	0.64	11	5.5	1.44	12	8.2	2.88	10
	2.5	4.0	0.72	11	5.8	1.52	11	8.5	3.11	10
	<b>2.8</b>	<b>4.1</b>	<b>0.80</b>	<b>11</b>	<b>6.1</b>	<b>1.63</b>	<b>11</b>	<b>9.1</b>	<b>3.26</b>	<b>10</b>
	3.0	4.3	0.87	11	6.4	1.74	10	9.1	3.41	10
	3.5	4.5	0.95	11	6.4	1.78	11	9.1	3.60	11
	3.8	4.5	1.02	12	6.4	1.82	11	9.1	3.83	11
180° 	1.7	-	-	-	4.9	2.27	11	7.6	5.46	11
	2.0	3.7	1.29	11	5.2	2.43	11	8.2	5.99	11
	2.5	4.0	1.44	11	5.5	2.69	11	8.5	6.44	11
	<b>2.8</b>	<b>4.1</b>	<b>1.59</b>	<b>11</b>	<b>5.8</b>	<b>2.92</b>	<b>11</b>	<b>9.1</b>	<b>6.90</b>	<b>10</b>
	3.0	4.3	1.67	11	6.1	3.22	11	9.1	7.31	11
	3.5	4.5	1.90	11	6.4	3.45	10	9.1	7.73	11
	3.8	4.5	1.93	12	6.4	3.60	11	9.1	8.07	12
210° 	1.7	-	-	-	4.9	2.73	12	7.6	6.37	11
	2.0	3.7	1.52	12	5.2	2.84	11	8.2	6.97	11
	2.5	4.0	1.71	11	5.5	3.07	11	8.5	7.54	11
	<b>2.8</b>	<b>4.1</b>	<b>1.86</b>	<b>11</b>	<b>5.8</b>	<b>3.26</b>	<b>10</b>	<b>9.1</b>	<b>8.03</b>	<b>10</b>
	3.0	4.3	1.93	11	6.1	3.45	10	9.1	8.53	11
	3.5	4.5	2.16	11	6.4	3.71	9	9.1	8.98	11
	3.8	4.5	2.24	11	6.4	3.83	10	9.1	9.44	12
270° 	1.7	-	-	-	4.9	3.30	11	7.6	8.30	12
	2.0	3.7	1.82	11	5.2	3.60	11	8.2	8.98	11
	2.5	4.0	2.01	10	5.5	3.90	10	8.5	9.66	11
	<b>2.8</b>	<b>4.1</b>	<b>2.39</b>	<b>11</b>	<b>5.8</b>	<b>4.17</b>	<b>10</b>	<b>9.1</b>	<b>10.35</b>	<b>10</b>
	3.0	4.3	2.54	11	6.1	4.43	10	9.1	10.95	11
	3.5	4.5	2.73	11	6.4	4.66	9	9.1	11.60	11
	3.8	4.5	2.84	11	6.4	4.93	10	9.1	12.20	12
360° 	1.7	-	-	-	4.9	4.55	11	7.6	10.92	11
	2.0	3.7	2.62	12	5.2	4.85	11	8.2	11.94	11
	2.5	4.0	2.92	11	5.5	5.19	10	8.5	12.89	11
	<b>2.8</b>	<b>4.1</b>	<b>3.18</b>	<b>11</b>	<b>5.8</b>	<b>5.61</b>	<b>10</b>	<b>9.1</b>	<b>13.80</b>	<b>10</b>
	3.0	4.3	3.34	11	6.1	5.95	10	9.1	14.63	11
	3.5	4.5	3.71	11	6.4	6.37	9	9.1	15.43	11
	3.8	4.5	3.83	11	6.4	6.59	10	9.1	16.18	12

Fet text= Rekommenderat tryck




Bilder och data enligt Hunters uppgifter

# Spridarhuvud MP



## MP3500

Radie 9.4-10.7 m

	Tryck kg	Radie m	Flöde l/min	Nederbörd mm/tim ca.
<b>90°</b> 	1.7	10.1	3.94	9
	2.0	10.4	4.28	10
	2.5	10.4	4.58	10
	<b>2.8</b>	<b>10.7</b>	<b>4.84</b>	<b>10</b>
	3.0	10.7	5.22	11
	3.5	10.7	5.41	11
	3.8	10.7	5.68	12
<b>180°</b> 	1.7	10.1	8.36	10
	2.0	10.4	8.48	9
	2.5	10.4	10.03	11
	<b>2.8</b>	<b>10.7</b>	<b>10.83</b>	<b>11</b>
	3.0	10.7	11.73	12
	3.5	10.7	12.15	13
	3.8	10.7	12.41	13
<b>210°</b> 	1.7	10.1	9.80	10
	2.0	10.4	10.75	10
	2.5	10.4	11.66	11
	<b>2.8</b>	<b>10.7</b>	<b>12.45</b>	<b>11</b>
	3.0	10.7	13.40	12
	3.5	10.7	14.23	13
	3.8	10.7	14.91	13

**Fet text=** Rekommenderat tryck

Bilder och data enligt Hunters uppgifter.

# Spridarhuvud MP



MP Strips

	Tryck kg	Radie m	Flöde l/min
<b>Vänster Hörn</b>	1.7	1.1x4.2	0.67
	2.0	1.2x4.3	0.72
	2.5	1.4x4.5	0.79
	<b>2.8</b>	<b>1.5x4.6</b>	<b>0.84</b>
	3.0	1.6x4.7	0.87
	3.5	1.7x4.8	0.94
	3.8	1.8x4.9	0.99
<b>Höger Hörn</b>	1.7	1.1x4.2	0.67
	2.0	1.2x4.3	0.72
	2.5	1.4x4.5	0.79
	<b>2.8</b>	<b>1.5x4.6</b>	<b>0.84</b>
	3.0	1.6x4.7	0.87
	3.5	1.7x4.8	0.94
	3.8	1.8x4.9	0.99
<b>Mitten</b>	1.7	1.1x8.3	1.34
	2.0	1.2x8.6	1.43
	2.5	1.4x8.9	1.57
	<b>2.8</b>	<b>1.5x9.1</b>	<b>1.66</b>
	3.0	1.6x9.3	1.72
	3.5	1.7x9.6	1.87
	3.8	1.8x9.9	1.96

**Fet text**= Rekommenderat tryck

Bilder och data enligt Hunters uppgifter.





# Spridarhuvud MP








**MP 800SR**  
Radié 1.8-3.5 m



**MP 815**  
Radié 2,5-4.9 m

	Tryck kg	Max. Radié m	Flöde l/min	Nederbörd mm/tim ca.	Min. Radié m	Flöde l/min
<b>90°</b> 	2.1	2.6	0.61	22	1.8	0.49
	2.5	2.9	0.72	21	2.1	0.55
	<b>2.8</b>	<b>3.1</b>	<b>0.87</b>	<b>21</b>	<b>2.4</b>	<b>0.61</b>
	3.0	3.4	0.95	20	2.4	0.68
	3.5	3.5	1.02	20	2.7	0.72
	3.8	3.5	1.06	20	3.0	0.76
<b>180°</b> 	2.1	2.6	1.21	22	1.8	0.98
	2.5	2.8	1.40	21	2.1	1.10
	<b>2.8</b>	<b>3.0</b>	<b>1.59</b>	<b>21</b>	<b>2.4</b>	<b>1.21</b>
	3.0	3.3	1.74	19	2.4	1.36
	3.5	3.4	1.82	19	2.7	1.44
	3.8	3.5	1.89	18	3.0	1.51
<b>210°</b> 	2.1	2.6	1.40	22	1.8	1.15
	2.5	2.8	1.67	22	2.1	1.28
	<b>2.8</b>	<b>3.0</b>	<b>1.85</b>	<b>21</b>	<b>2.4</b>	<b>1.41</b>
	3.0	3.2	2.01	20	2.4	1.59
	3.5	3.4	2.12	19	2.7	1.68
	3.8	3.5	2.20	18	3.0	1.77
<b>360°</b> 	2.1	2.6	2.38	22	1.8	1.78
	2.5	2.8	2.65	20	2.1	1.97
	<b>2.8</b>	<b>3.0</b>	<b>2.95</b>	<b>20</b>	<b>2.4</b>	<b>2.12</b>
	3.0	3.1	3.22	20	2.4	2.23
	3.5	3.3	3.33	19	2.7	2.38
	3.8	3.5	3.71	18	3.0	2.65

	Tryck kg	Max. Radié m	Flöde l/min	Nederbörd mm/tim ca.
<b>90°</b> 	2.1	4.3	1.59	21
	2.5	4.5	1.74	21
	<b>2.8</b>	<b>4.6</b>	<b>1.85</b>	<b>21</b>
	3.0	4.8	1.97	21
	3.5	4.9	2.08	21
	3.8	4.9	2.20	22
<b>180°</b> 	2.1	4.0	2.84	21
	2.5	4.3	3.26	21
	<b>2.8</b>	<b>4.5</b>	<b>3.52</b>	<b>21</b>
	3.0	4.6	3.63	21
	3.5	4.8	4.01	21
	3.8	4.9	4.20	21
<b>210°</b> 	2.1	4.0	3.33	21
	2.5	4.3	3.63	20
	<b>2.8</b>	<b>4.5</b>	<b>4.16</b>	<b>21</b>
	3.0	4.6	4.39	21
	3.5	4.8	4.69	21
	3.8	4.9	4.92	21
<b>270°</b> 	2.1	4.0	4.31	22
	2.5	4.3	4.69	20
	<b>2.8</b>	<b>4.5</b>	<b>5.30</b>	<b>21</b>
	3.0	4.6	5.56	21
	3.5	4.8	5.83	20
	3.8	4.9	6.09	20
<b>360°</b> 	2.1	4.0	5.75	22
	2.5	4.3	6.43	21
	<b>2.8</b>	<b>4.5</b>	<b>7.08</b>	<b>21</b>
	3.0	4.6	7.57	21
	3.5	4.8	8.06	21
	3.8	4.9	8.55	21

**Fet text**= Rekommenderat tryck

Rekommenderat att köra MP800 separat från standard MP spridare.

Bilder och data enligt Hunters uppgifter.